



## GENERAL SPECIFICATIONS

• L.O.A*:	15,10 m	49'6"
• Hull length:	13,25 m	43'6"
• Overall width:	4,32 m	14'2"
• Beam:	4,27 m	14'
• Light displacement (EC):	14 238 kg	31,381 lbs
• Air draught:	5,85 m	19'2"
• Draught (min-max):	0,90 - 1,27 m	2'11" - 4'2"
• Fuel capacity:	2 x 650 l	2 x 172 US Gal
• Freshwater capacity:	2 x 300 l	2 x 79 US Gal
• Maximum engine power:	2 x 307 Kw - 2 x 435 HP	2 x 435 HP
• Max engine certification:	2 x 307 Kw - 2 x 435 HP	2 x 435 HP

\* (with aft swimming platform)

## ARCHITECT / DESIGNERS

- Design: Nuvolari & Lenard
- Interior accommodation: Andreani Design

## EC CERTIFICATE

- Category B - 12 persons
- Category C - 14 persons
- Category D - 16 persons



## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

Composition:

- White Cream Gelcoat
- Sandwich (Polyester resin - Glass fiber - Balsa core)
- Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- 12 portholes including 10 opening portholes

#### DECK

Composition:

- White Cream Gelcoat
- Sandwich (Polyester resin - Glass fiber - Balsa core)
- Diamond tip type non-slip covering
- Structural deck counter moulded in monolithic laminate

### DECK EQUIPMENT

- Radar support in stainless steel
- Navigation lights
- LED courtesy lights in gangways, Steps and Stern deck

#### MOORING LINES - MOORING

- Bow fitting
- Electric windlass 24V, Power 2000 W
- Remote control in mooring locker + windlass control from wheelhouse and flying bridge steering stations
- 2 Mooring lockers
- 2 Forward cleats, 2 central and 4 aft in stainless steel
- 4 Stainless steel fairleads to aft of cockpit

#### SAFETY ON DECK

- Stainless steel Half open pulpit with teak step and hand rail
- Stainless steel pulpit surrounding all flybridge
- 2 Stainless steel handrails on access to side decks steps
- 1 Hand rail on aft transom

#### DECK

- 3 cup holders
- 1 Opening deck hatch, 1 Fixed hatch

#### COCKPIT

- Gate access (Starboard)
- 6 persons saloon
- Uphostery PVC Diamante Snow, piping Diamante Espresso, Open cell foam
- Access hatch to engine compartment
- Access hatch to large storage locker (standard) or crew cabin (optional)
- Cockpit shower hose with hot water mixer tap / Cold water
- Access stairway to flybridge, Built-in storage locker
- Solid wood platform swimming
- Retractable ladder in swimming platform with solid wood steps and stainless steel handrails
- Direct and indirect lighting LED

#### FLYBRIDGE

- Grey tinted windscreen, surrounded by stainless steel frame
- Steering console with: Steering compass - Steering wheel - Electrical engine controls - Tiller angle indicator - Rev counter - Fuel gauge - 12 V socket - IPS joystick
- Controls for windlass, flaps, lighting, navigation lights, Bilge pumps
- Adjustable pilot seat
- 2 Cupholders & stowage
- Two seater co-pilot bench to port, convertible into sun lounger (2 m x 1,05 m / 6'7" x 3'5")
- Saloon, 8 persons
- Natural Solid wood folding table, with 4 integrated cup holders
- Galley unit: Sink hot water / Cold water, Place for electric grill (optional), Storage, Bin. Plain solid wood doors and countertop
- Radar support, Aerials and lights in Black lacquered polyester
- Courtesy lighting LED
- Exterior upholstery PVC Diamante Snow, piping Diamante Espresso, Open cell foam

### INTERIOR

- Choice of woodwork: Alpi brushed Oak or Alpi Matt finish walnut
- Interior decor matching the choice of woodwork
- Laminate floors in the galley : Brown Oak (standard) or Teak slatted (optional)
- Ivory carpet in saloon and cabins
- Teak slatted floor in head compartments

#### WHEELHOUSE

Headroom: 1,99 m / 6'6"

- Mirror tinted glass Bay window and stainless steel frame with full opening (1 opening and 2 folding). Curtain "Cream"
- "romans" blinds in "Cream" fabrics
- Direct and indirect lighting LED
- Electrical panel 24V/220V, starboard side of the entrance

## STEERING STATION

- One-piece windscreen, in non-tinted laminated glass
- Mirror tinted side windows, 2 openings (Port and starboard)
- 2 Windscreen wipers with washers
- Demisting system
- Pilot and copilot bench with Bolster function,
- Upholstery : PVC Ligth Grey (standard) or leather (Optional equipment)
- Storage drawer under bench seat
- Dashboard with Clay metallic paint
- Volvo EVC screen (with additional software as an option)
- Tiller angle indicator
- Flaps control
- Volvo throttle & controls
- IPS joystick
- Steering compass
- Functional controls: Wiper, Demister, Fog horn, Navigation lights, Windlass
- Valet tray
- Space for 2 multifunction 12" screens
- 1 12 V Socket

## SALOON

- Sofa 4-6 places, upholstery "Divine White" fabric, with pillows of comfort
- 2 places facing sofa, Upholstery "Divine White" fabric, with pillows of comfort
- Folding table, padded leather top "Stonegrey" or "Bordeaux"
- 3 Storage drawer under sofas
- Location for 32" LED television, Audio & DVD player and Bose speakers (Options)
- 1 220 V Socket

## GALLEY

Kitchen-type layout

- Optimum storage space: "magic corner"
- Stainless steel sink with mixer tap
- Ceramic hob (2 burners) Kenyon
- Corian Clay countertop
- Fridge Freezer + Ice maker with drawers : 150 L / 40 US Gal Standard (or 225 L / 59 US Gal optional) (High cabinet galley version)
- Cutlery & glasses storage
- Bin
- Lacquer finished furniture
- 2 220 V Sockets

## OWNER CABIN (AFT)

Headroom: 1,85 m / 6'1"

- Full beam stateroom
- Double berth (2,03 m x 1,56 m / 6'8" x 5'1")
- Marine mattress with bed base
- Padded bed head board
- 2 Bedside tables with drawer and reading light
- 2 Illuminated wardrobes with hanging locker and shelving
- Direct and indirect lighting LED
- 2 220 V Sockets
- 2 Panoramic opening porthole-fitted portlights with blinds, Cream Blackout curtain
- Space for 32" LED TV (optional)
- Storage cupboards (Port and starboard)
- Mirror

## OWNER HEAD COMPARTMENT

Headroom: 2 m / 6'7"

- Vacuflush electric toilet + Shared rigid tank (150 l / 40 US Gal)
- Separated shower stall with stainless steel profiled doors
- Teak slatted seat
- Shower with mixer tap
- Basin with mixer tap flush mounted
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50L / 13 US Gal)
- 1 220 V Socket
- Opening hull porthole with Cream Blackout curtain blinds
- 1 Towel rail

## VIP CABIN (FORWARD)

Headroom: 1,94 m / 6'4"

- Double berth (1,95 m x 1,50 m / 6'5" x 4'11")
- Marine mattress with bed base
- Padded bed head board
- 4 Opening hull portholes, with blinds, Cream Blackout curtain
- Long natural light wells, with opening deck hatch, fitted blinds and mosquito net
- 2 Illuminated wardrobes with hanging locker and shelving
- Storage
- 2 Drawers under the bed
- 2 220 V Sockets
- Direct and indirect lighting LED

## VIP HEAD COMPARTMENT

Headroom: 2 m / 6'7"

- Vacuflush electric toilet + Shared rigid tank (150 l / 40 US Gal)
- Separated shower stall with circular door
- Basin with mixer tap flush mounted
- Shower with mixer tap
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50L / 13 US Gal)
- Opening hull porthole with Cream Blackout curtain blinds
- 1 Towel rail
- 1 220 V Socket

## GUEST CABIN (SIDE)

Headroom: 1,98 m / 6'6"

- 2 Bunk beds: 1,98 m x 0,62 m and 1,98 m x 0,77 m / 6'6" x 2'0" and 6'6" x 2'6"
- Marine mattresses
- Padded bed headboards
- 2 Opening hull portholes, with blinds, Cream Blackout curtain
- Bedside tables with drawer and reading light
- 1 220 V Socket
- Hanging locker with lighting

## ENGINE

---

Pods propulsion:

- Volvo 2 x IPS 600 - 2 x D6 435 CV/HPDiesel (2 x 307 Kw) EVC-E
- Fuel filter with decanter
- Sea water filter
- Air intakes on the deck for engine compartment cooling
- Hot air extraction forced by electric ventilators
- Engine room foam soundproofed
- Fire extinguishing system activated from the steering station (Wheelhouse and Fly)
- Stainless steel fuel filler
- 2 x 650 L / 172 US Gal Roto moulded fuel tanks

Steering system:

- Hydraulic steering
- 2 Pods with counter rotative propellers "Jackshaft"
- IPS control joystick (Wheelhouse & Flybridge)

## ELECTRICITY

---

- 24 V 220 V Electrical panel
- 8 12 V batteries (4 Engine batteries: 50 Ah + 4 Service batteries: 140 Ah)
- Radio-controlled wireless switches (without battery)
- 2 230 V - 50 Hz 63A shore supply with 15 m cable (or 2 220 V - 60 Hz according to country)
- 3 Bilge pumps: 2 Electric pumps - 1 Manual pump
- 1 Extinguisher
- Inverter: 24 V / 12 V
- Power distributor
- Battery charger: 24 V 60 Ah
- Sockets 220V: in saloon, Galley, Heads version and Cabin
- 12V socket on Steering stations (Wheelhouse and Flybridge)
- Direct and indirect lighting LED (internal and external)

## PLUMBING

---

- 2 Roto moulded water tanks, 2 x 330 L / 2 x 87 US Gal capacity of
- Stainless steel water filler
- Water pump for pressurising hot/cold water system
- 60 L / 16 US Gal water heater working off engine exchanger and 220 V



## TRIM LEVEL

	AVANTAGE	ELEGANCE	EXCLUSIVE
<ul style="list-style-type: none"> <li>• Wheelhouse side windows (Port and starboard) with electric opening</li> <li>• 32" TV in saloon + Bose 2.1 Hi-fi system</li> <li>• FUSION 700 Audio/DVD player in saloon + Dock iPod + Bluetooth connection + 2 Remote controls (Cockpit and Flybridge) + Exterior loudspeakers</li> <li>• Top of furniture upholstered with "Stonegrey" leather</li> <li>• Teak slatted Cockpit &amp; Galley floors</li> <li>• Forward sunbed with adjustable back rest and protective cover</li> <li>• 12 V / 220 V inverter - 700 VA</li> </ul>	<ul style="list-style-type: none"> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> </ul>	<ul style="list-style-type: none"> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> </ul>	<ul style="list-style-type: none"> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> </ul>
<ul style="list-style-type: none"> <li>• 2 Multifunction SIMRAD NSS 12" evo2 displays in wheelhouse + 1 multifunction NSS 12" evo2 display on flybridge</li> <li>• Dual-station SIMRAD VHF</li> <li>• AIS 400 (Transmitter / receiver) Coupled with the VHF</li> <li>• Automatic pilot with control integrated in NSS screens</li> <li>• SIMRAD Broadband 4G Radar</li> <li>• Wifi connection module (Control of the NSS from iPad)</li> </ul>		<ul style="list-style-type: none"> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> </ul>	<ul style="list-style-type: none"> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> <li>■</li> </ul>
<ul style="list-style-type: none"> <li>• Hydraulic bathing platform (max load 350Kg)</li> <li>• Dinghy cradle integrated to the platform</li> <li>• Generator - 220 V - 50 Hz - 11 KVA</li> </ul>			<ul style="list-style-type: none"> <li>■</li> <li>■</li> <li>■</li> </ul>

## OPTIONS

### OPTIONAL LAYOUT VERSIONS

#### CREW CABIN (accessible from cockpit)

Headroom: 1,60 m / 5'3"

- Single bed (2 m x 0,70 m / 6'7" x 2'4")
- Shower
- VacuFlush Toilet
- Basin with hot and cold water mixer tap under pressure
- 1 Fixed porthole + 1 Opening porthole

#### "HIGH CABINET" GALLEY (On the starboard side)

- 2 Drawer refrigerator (145 l)
- 1 Freezer with drawers, + integrated icemaker (75 l)
- Storage cupboard (Position for Dishwasher option)



## OTHER OPTIONS

### INTERIOR / ONBOARD COMFORT

- Chilled water Mediterranean air conditioning 36 kBTU (in wheelhouse 18 kBTU, in owner cabin and bathroom 9 kBTU, in the VIP cabin and Guest cabin 9 kBTU) - Distribution by ceilings
- Chilled water Tropical air conditioning 60 kBTU (in wheelhouse 36 kBTU, in owner cabin and bathroom 9 kBTU, in the VIP cabin 9 kBTU in guest cabin 6 kBTU) - Distribution by ceilings
- Air conditioning 4 kBTU in the crew cabin
- Flybridge air conditioning
- 12 kW heating, water system
- 2 kW heating, in the crew cabin
- 2 Multifunction screens SIMRAD NSO 16" (in place of the NSS 12" (x 2) in wheelhouse)
- TV 32" in master cabin + Fusion Audio/DVD player + Bose 2.1 Hi-fi system
- TV 24" in the VIP cabin + Fusion Audio/DVD player + Loud speakers "Bose"
- TV 23" in guest cabin + Fusion Audio/DVD player + Loud speakers "Bose"
- Fabric upholstery in the saloon: Vibrant Beige
- Fabric upholstery in the saloon: Mondo Crème
- Fabric upholstery in the saloon: Aura Brown
- Leather upholstery in the saloon: Nubuck
- Leather upholstery in the saloon
- Light grey leather pilot bench seat
- Tendress Taupe carpet (Saloon & Cabins)
- Carpet Dune looped (Saloon & Cabins)
- Teak floor in saloon and steering station
- Doors padded with leathers
- Grill & Microwave combined oven (40 l) 220 V
- Microwave oven 22 l
- Extractor hood 220 V - 50 Hz
- 6 person table setting
- Dishwasher for 6 place settings (Port side, Galley standard)
- Dishwasher for 6 place settings (Starboard, "High cabinet" galley)
- Washer dryer
- Mosquito nets (Cabins and Aft window door)
- Set of interior and exterior pillows for decoration

### EXTERIOR

- Mooring kit: Anchor Delta 25 kg + Chain (12 mm diameter, Length: 40 m) + Line (22 mm diameter, Length: 50 m) + 4 Moorings lines (18mm, Length: 15 m) + 6 Fenders (290 mm diameter, Length: 1,09 m)

- Bow thruster station dual
- Volvo virtual anchoring (DPS) + Low Speed
- Volvo Synchronisation of levers and speed control
- 3rd Engine control in cockpit (skyhook, Thruster)
- Integrated hydraulic gangway
- Deck spotlight on flybridge with controller
- Underwater projectors (x2)
- Exterior upholstery PVC Diamante Snow, piping Diamante Snow
- Solid wood cockpit table with stainless steel legs and protective cover
- Galley unit on transom: Electric grill "Kenyon", Sink hot/cold, Work top, Lighting
- Retractable electric sun awning "Beige"
- Aft cockpit closing "Graphite & Beige"
- Flybridge bimini Graphite with Built-in LED lighting
- Canvas cover Flybridge Graphite
- Outside wheelhouse curtains ("Sunworker" black)
- Protective covers, outside upholsteries: Cockpit, forward, Flybridge
- Pump for deck washing
- Shore freshwater supply
- Loud speakers "Fusion" + Remote control on forward sunbed
- Exterior loudspeakers "Bose": Cockpit, Forward sun deck and Flybridge
- Pilot seat (Flybridge) Besenzoni
- Electric grill "Kenyon" (Flybridge)
- 40 L refrigerator (Flybridge)
- 60L icebox (Flybridge)
- Rear camera
- Thermal imaging camera
- 2 Folding chairs in teak "Rex" (MC Special Edition)
- WILLIAMS 285 Turbojet tender 80HP special edition for MC
- Aqua blue & cream hull
- Grey blue and Cream hull
- Metallic hull paint



America/Export: Please note that electric power and appliances may be different and/ or not offered on standard or on option. They would be adapted locally by your dealer.