



GENERAL SPECIFICATIONS

• L.O.A*:	9,00 m	29'6"
• Hull length:	7,98 m	26'2"
• Overall width:	2,97 m	9'9"
• Beam:	2,94 m	9'8"
• Draught (min/max):	0,50 - 0,90 m	1'5" - 2'11"
• Air draught:	2,12 m	6'11"
with T TOP	2,68 m	8'10"
• Light displacement (EC):	3 702 kg	8,159 lbs
• Light displacement without engine:	3 126 kg	6,890 lbs
• Fuel tank:	400 L	106 US Gal
(option)	(600 L)	(159 US Gal)
• Water tank (optional extra):	100 L	26 US Gal
• Max engine certification:	500 HP	500 HP
• Length - Driving shaft:		
Single engine	XXL / 762mm	30"
Twin engine	XL / 635mm	25"

* (Optional equipment: Swim deck & Dolphin nose, without engine)

ARCHITECTS / DESIGNERS

- Hull development: Bénéteau POWERBOATS
- Designers: Style & Design

CE CERTIFICATION

- Category B - 8 people
- Category C - 11 people

AIR STEP SYSTEM®

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ



BENETEAU

Flyer 8.8 SUNdeck

General Equipment list

STANDARD EQUIPMENT

CONSTRUCTION

HULL

- Technology: Air Step®
- Patent: Beneteau

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White hull
- Winching ring on bow

DECK

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)

DECK EQUIPMENT

MOORING LINES - MOORING

- Aluminium bow fitting with roller
- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Forward cleats + 2 Cleats amidships + 2 Aft cleats in aluminium, 250 mm / 10"

SAFETY ON DECK

- Stainless steel open pulpit
- 2 Catwalks
- Main wide port catwalk for greater safety when gaining access to forward sun deck

COCKPIT

- Wide and deep self-bailing cockpit (Freeboard: 0,74 m / 2'5")
- 4 people aft seat, with stainless steel handrail on backrest, convertible into sun lounger: 1,80 x 0,90 m / 5'11 x 2'11" (Two-colour PVC upholstery Diamante snow & Silververtex carbon)
- Removable cockpit table
- 1 Large lockable central cockpit locker with gas piston assisted opening (BIB location)
- 1 Port cockpit locker
- 1 Starboard cockpit locker
- (400 L / 106 US Gal) hermetic and ventilated rotomoulded fuel tank, in the back of cockpit locker
- Fuel filler on transom
- Portside access to sea
- Security door
- Telescopic swimming ladder
- Cockpit shower
- All-round light on samson post
- Navigation lights (Port and starboard)
- Forward sun deck: 1,90 x 1,60 m / 6'3" x 5'3"
 - Storage
 - Cup holders (x2)

STEERING STATION

- Windscreen PMMA light grey tinted
- Handrail around the windscreen
- Center consol
- Dashboard with location for electronics , max. 10" screen, rpm and trim
- Fuel gauge
- 12 V socket
- Sports steering wheel
- Location for top gas throttle (Throttle and instruments delivered with pré-rigging)
- Fitted footrests
- Hydraulic steering
- Leaning post / High comfort pilot and copilot bench seat with built-in function Bolster
- Copilot hand rail
- Cabin access through sliding door in translucent grey PMMA



BENETEAU

Flyer 8.8 SUNdeck

General Equipment list

INTERIOR

- Woodwork Alpi Walnut
- Brown oak laminated floors
- Interior cushions in Rodeo Coffee / Ace Ribon upholstery

FORWARD CABIN

Headroom = 0,96 - 1,90 m / 3'2" - 6'3"

- Saloon convertible into double berth (2,00 x 1,90 m / 6'7" x 6'3")
- Rodeo Coffee Mattress
- Storage under front seat
- Storage cubbyhole (Port and starboard)
- Lighting from 6 ceiling lights
- Ventilation from deck hatch and opening porthole
- Side glazing

GALLEY

Headroom = 1,79 m / 5'10"

- Galley unit + 42 L refrigerator (Trim level)
- Space for microwave oven - 220 V (optional extra)
- Ventilation achieved with 1 opening deck porthole(s)
- Lighting from 1 ceiling light

HEAD

Headroom = 1,73 m / 5'8"

- Closed toilet with marine head
- Washbasin
- Shower
- Ventilation from 1 opening hull porthole
- Lighting from 1 ceiling light

MID-CABIN

Headroom = 0,58 m / 1'11"

- Berth (1,80 x 1,25 m / 5'11" x 4'1")
- Panoramic hull porthole to starboard
- Shelving
- Lighting from 1 ceiling light

ELECTRICITY

- 12 V electrical panel
- Installation for engine batteries delivered with the pre-rigging or refrigerator (Maximum: 2 batteries not delivered)

PLUMBING

- 1 Manual bilge pump
- 2 Electric bilge pumps
- Pressured cold water
- Hot water system on shore supply (Confort Trim level)
- Water filling drain plug



TRIM LEVEL

	ESSENTIAL 2017	CONFORT 2017
<ul style="list-style-type: none"> • Electric windlass • Fridge (42 L) • Installation for additional battery 12 V 140 Ah (if necessary) • 1 Retractable bench seat up against the leaning post • Interior curtains 	<ul style="list-style-type: none"> • ■ • ■ • ■ • ■ • ■ 	<ul style="list-style-type: none"> • ■ • ■ • ■ • ■ • ■
<ul style="list-style-type: none"> • Dashboard specific decoration • Water heater (25 L) • 220 V electrical circuit with dock plug + charger • Gas cooker 		<ul style="list-style-type: none"> • ■ • ■ • ■ • ■

OPTIONS

PACKS

ELECTRONIC - 2017 PACK

- LOWRANCE HDS 7" Touch GEN3 Multifunction screen (chart not included)
- LOWRANCE HDI Sensor

ELECTRONIC - UPGRADED 2017 PACK

- LOWRANCE HDS 9" Touch GEN3 Multifunction screen (chart not included)
- LOWRANCE HDI Sensor

SOUND 2017 PACK

- Fusion MS-RA205
- 50 W speakers x 2

SOUND SIGNATURE PLUS - 2017 PACK

- Fusion MS-RA205
- Amp (1 600 W)
- Speakers (230 W x 4) Signature sport chrome, blue LED
- Subwoofer (450 W)

OTHER OPTIONS

- Complete mooring kit
 - Overhang stemhead with swimming ladder
 - Pilot consol integral protection
 - Complete cockpit closing (Addition of: Pilot consol integral protection)
 - Stainless steel bimini
 - Forward sun awning extension
 - Stainless steel T-Top
 - 2 Foldable seats at freeboard (Port and starboard)
 - Console cover + Leaning post + Forward sun deck + Cockpit bench seat
 - Water ski mast (double arch)
 - Extended swim platform
 - Extended bathing platforms slatted with solid natural wood
 - Bow thruster (battery not delivered)
 - Additional fridge in the cockpit
 - Microwave oven
 - Air conditioning
 - 4 KVA 220 V / 50 Hz Generator (Petrol)
 - LED courtesy light in cockpit
 - Solid wood cockpit (Cockpit + Steps + Deck forward)
 - Electric trim tabs
 - Aft fishing station, with seat for 2 persons (replaces the 4-person bench)
 - Lowrance Total Scan Sensor
-
- Pré-rigging Suzuki mecanic 2 x (150-250 CV/HP)
 - Pré-rigging Suzuki electronic 1 x (250-300 CV/HP)
 - Pré-rigging Suzuki electronic 2 x (150-250 CV/HP)
 - Pré-rigging Honda mecanic 2 x (100-150 CV/HP)
 - Pré-rigging Yamaha mecanic 2 x (150 CV/HP)
 - Pré-rigging Yamaha electronic 1 x (200-350 CV/HP)
 - Pré-rigging Yamaha electronic 2 x (200-250 CV/HP)
 - Pré-rigging Mercury mecanic 2 x (150 CV/HP)
 - Pré-rigging Mercury electronic 1 x (225-400 CV/HP Verado)
 - Pré-rigging Mercury electronic 2 x (150-200 CV/HP Verado)
 - Pré-rigging Mercury electronic 2 x (225-250 CV/HP Verado)